

GUIDE

# Customer API Guide

Ticketing

## Table of contents

Revision History .....	3
Overview.....	4
Currently Supported Functionality .....	4
Requesting Access .....	4
Endpoint Definitions .....	5
GET /tickets.....	5
GET /tickets/{ticket_id}.....	10
Creating Tickets.....	15
GET /sites.....	16
GET /circuits .....	20
GET /circuits/{circuit_id} .....	23
POST /tickets .....	25
Request .....	25
POST /tickets/{ticket_id}/attachments .....	30
Response .....	30
POST /tickets/{ticket_id}/notes .....	32
Request .....	32
Response .....	32
Appendix .....	35
Error Handling .....	35
Ticket Status Values.....	36
Ticket Source Values.....	36

## Revision History

Revised By	Version	Page	Description
CParsons	1.6	-	First Release
CParsons	1.7	25	Corrected curl script and parameter name for the Add Attachments endpoint
CParsons	1.8	17	Revamped the advice and rules for sending ticket requests
CParsons	1.901	24	Added spectrumTicketNumber to create ticket response
CParsons	1.902	10	Paging added to GET /tickets
CParsons		14	SiteAddress.id on responses, is NOT the siteGuid, this will be removed in upcoming release
CParsons	1.903	13, 17	Added GET /ticket by spectrumTicketNumber capability
CParsons	1.904	Page Header & Footer	Corrections to doc version number and copyright year
CParsons	1.905	22 & 28	Optional Boolean fields cannot be null, they must be true, false or omitted altogether Updated the spec to reflect this
CParsons	1.91	9 & 14  20 23 25	Updates for the Linden release: GET / Tickets new query parameters and new response fields GET /sites – count added to response GET /circuit/{circuit_id} POST /tickets - New optional fields when submitting a ticket
CParsons	1.92	9 - 10 12	Added updated, resolved, closed date query params. Added readable dates to response New example response
OBarry, CParsons	2.0	All	Formatting changes for Spectrum Business
CParsons	2.01	4 6  11  13,18,21,24,26, 31,33,35 37	Added Terms & Conditions Authentication procedure changed – Encryption keys are now optional and not required before we create credentials Added more examples for GET /tickets calls, (open tickets and recently updated tickets) Added error responses to each endpoint  Added more ticket source values
CParsons	2.02	4	Terms & Condition paragraph changed to Spectrum Business
OBarry, CParsons	2.03	Page Header 1, 4, 11, 27, 28, 30	Renamed document Removed Authentication & Onboarding Section Removed references to the pilot Added invalid circuit id example Added Maintenance Check example New field statusDetail on ticket responses and Appendix Ticket Number can be used on Add Notes & Attachments
CParsons	2.04		Get /sites added Address search parameters Removed email addresses

## Support

For any Customer API related support issues, please email: [DL-Ent-Spectrum-API-Support@charter.com](mailto:DL-Ent-Spectrum-API-Support@charter.com). Please note, our hours are Monday through Friday, 8 AM to 5 PM (MT).

If you need to open a service ticket and are unable to do so through the API, please contact our 24-hour Technical Support team for assistance.

## Terms & Conditions

Customer agrees that by using the Application Programming Interface (API) described in this User Guide. Customer agrees to the Spectrum Business Customer API Terms and Conditions located at [Spectrum Business Customer API Terms and Conditions for Enterprise Services](#) (or the applicable successor URL).

## Intended Audience

This document is intended for Spectrum Business Customer API customer software development teams who wish to implement our REST APIs. It describes what each of the endpoints are, and how to use them. Readers should be familiar with the basic concepts and technologies of the REST API protocol.

Registering and Authentication are covered in a separate document, please reach out to your Customer Services Manager or [DL-Ent-Spectrum-API-Support@charter.com](mailto:DL-Ent-Spectrum-API-Support@charter.com). To request further details on that.

## Overview

The Spectrum Business Customer API exposes functions using the REST protocol. They provide customers the ability to integrate their systems directly with Spectrum Business enterprise systems.

Currently, the feature offered through this API is limited to service ticketing, however the scope will be expanded to include other features in the future.

## Currently Supported Functionality

- Retrieve all tickets for your organization.
- Retrieve details about a single ticket.
- Retrieve a list of Ticketing Sites (Locations) for your organization.
- Retrieve a list of Circuit Ids for your organization.
- Create a ticket for a new incident or information request.
- Update a ticket by adding an attachment.
- Update a ticket by adding a note (includes submitting close requests).

## Requesting Access

In order to gain access to the API, your organization will need to be formally registered to use it. We have a team dedicated to supporting you through the onboarding process. If you are interested in learning more, please reach out to your Client Services Manager or send an email to [DL-Ent-Spectrum-API-Support@charter.com](mailto:DL-Ent-Spectrum-API-Support@charter.com).

## Endpoint Definitions

### GET /tickets

Retrieve all tickets for your organization (created in past 12 months).

GET

/tickets

Retrieve open and/or historical tickets for a portal account.

▼

#### Query Parameters

Name	Type	Description	Examples
Status	String, optional enum (In Progress, Closed)	Status of tickets to be retrieved	Closed
OpenDateStart	String, optional Date Time (YYYY-MM-DDTHH:MM:SS.000Z)	Only retrieve tickets where date opened is on or after this date.	2023-02-25T21:05:14.000Z
OpenDateEnd	String, optional Date Time (YYYY-MM-DDTHH:MM:SS.000Z)	Only retrieve tickets where date opened is on or before this date.	2023-03-01T00:00:00.000Z
UpdateDateStart	String, optional Date Time (YYYY-MM-DDTHH:MM:SS.000Z)	Only retrieve tickets where date updated is on or after this date.	2023-02-25T21:05:14.000Z
UpdateDateEnd	String, optional Date Time (YYYY-MM-DDTHH:MM:SS.000Z)	Only retrieve tickets where date updated is on or before this date.	2023-03-01T00:00:00.000Z
ResolvedDateStart	String, optional Date Time (YYYY-MM-DDTHH:MM:SS.000Z)	Only retrieve tickets where date resolved is on or after this date.	2023-02-25T21:05:14.000Z
ResolvedDateEnd	String, optional Date Time (YYYY-MM-DDTHH:MM:SS.000Z)	Only retrieve tickets where date resolved is on or before this date.	2023-03-01T00:00:00.000Z
ClosedDateStart	String, optional Date Time (YYYY-MM-DDTHH:MM:SS.000Z)	Only retrieve tickets where date closed is on or after this date.	2023-02-25T21:05:14.000Z
ClosedDateEnd	String, optional Date Time (YYYY-MM-DDTHH:MM:SS.000Z)	Only retrieve tickets where date closed is on or before this date.	2023-03-01T00:00:00.000Z
Paginate	Boolean, optional	Whether to paginate results. Defaults to false. Page size is 25 tickets.	true
ReturnPageNumber	Integer, required if paginate is true	If results are paginated, then this determines which page to return. Default is 1 (first page).	2

#### Notes

- If no parameters specified, paging is ON, so only the first page is returned.
- If you need all tickets returned without paging, then set paginate = false.
- Ticket history goes back 12 months.

## Response

Field Name	Data Type	Example	Description
TicketsCount	Integer	21	Total number of tickets returned by this query
ResultsRetrieved	String	25 of 93	Number of results on this page vs total results
PageReturned	String	2 of 4	Which page of the total pages of results was returned
PreviousPageURL	String		URL to get previous page of results
NextPageURL	String		URL to get next page of results
OpenDateStart	Epoch Date	1693584000	Start opening date/time of tickets returned, in EPOCH (UTC), in seconds
OpenDateEnd	Epoch Date	1693584000	End opening date/time of tickets returned, in EPOCH (UTC), in seconds
ResolvedDateStart	Epoch Date	1693584000	Start resolved date/time of tickets returned, in EPOCH (UTC), in seconds
ResolvedDateEnd	Epoch Date	1693584000	End resolved date/time of tickets returned, in EPOCH (UTC), in seconds
ClosedDateStart	Epoch Date	1693584000	Start closed date/time of tickets returned, in EPOCH (UTC), in seconds
ClosedDateEnd	Epoch Date	1693584000	End closed date/time of tickets returned, in EPOCH (UTC), in seconds
Tickets	Array/objects		Array of ticket objects
Ticket Object	(see definition below)		

## Examples

Return first page of ALL tickets for my account (RESPONSES ARE PAGED BY DEFAULT):

```
curl --location --request GET 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/tickets' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'Authorization: Bearer <token>'
```

Return ALL my tickets, as a single collection:

```
curl --location 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/tickets?paginate=false' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'X_TXN_ID: e8a763c9-4c5b-48c0-97c2-c18d70084de2' \
--header 'Authorization: Bearer <token>'
```

Return all currently IN PROGRESS (open) tickets, as a single collection:

```
curl --location 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/tickets?status=In%20Progress&paginate=false' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'X_TXN_ID: e8a763c9-4c5b-48c0-97c2-c18d70084de2' \
--header 'Authorization: Bearer <token>'
```

Return all tickets OPENED BETWEEN <Date Time Start> and <Date Time End>, as a single collection:  
(the response may contain closed and in progress (open) tickets)

```
curl --location 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/tickets?openDateStart=2023-11-01T16:00:00.000Z&openDateEnd=2023-12-
31T10:00:00.000Z&paginate=false' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'X_TXN_ID: e8a763c9-4c5b-48c0-97c2-c18d70084de2' \
--header 'Authorization: Bearer <token>'
```

Return all tickets UPDATED SINCE <Date Time>, as a single collection:  
(Can be used to get only tickets changed since the last data pull)

```
curl --location 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/tickets?updateDateStart=2025-04-05T18%3A30%3A00.000Z&paginate=false' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'X_TXN_ID: e8a763c9-4c5b-48c0-97c2-c18d70084de2' \
--header 'Authorization: Bearer <token>'
```

## Example Response

```

1  {
2    "ticketsCount": 9,
3    "resultsRetrieved": "9 of 9",
4    "pageReturned": "1 of 1",
5    "previousPageURL": "https://apis.spectrum.net/entservices/ticketing-b2b/v1/tickets?paginate=true&returnPageNumber=1&status=In+Progress",
6    "nextPageURL": "https://apis.spectrum.net/entservices/ticketing-b2b/v1/tickets?paginate=true&returnPageNumber=1&status=In+Progress",
7    "tickets": [
8      {
9        "id": "RSGADGIIHBRP9ATFQOVRTENCXIVPV",
10       "spectrumTicketNumber": "ECT-85259812",
11       "customerTicketNumber": "Client API Test",
12       "billingAccountNumber": "",
13       "status": "In Progress",
14       "ticketReportSource": "B2B-API",
15       "needsClientAttention": false,
16       "businessImpact": "Outage",
17       "impactedServices": [
18         "Data-EPL"
19       ],
20       "impactedCircuits": [
21         "94.L1XX.001463..CHTR"
22       ],
23       "siteGuid": "CSGADGH1JTS4HARQG9S9RPGMS41HYP",
24       "siteAddress": {
25         "id": "8857488F102315F49A3E299995C8483F8",
26         "addressLine1": "6399 S FIDDLERS GREEN CIR",
27         "city": "ENGLEWOOD",
28         "state": "CO",
29         "zip5": "80111",
30         "latitude": "39.6004078",
31         "longitude": "-104.8909807"
32       },
33       "siteContacts": [
34         "Test Test, Charlie Lateshift"
35       ],
36       "contacts": [
37         {
38           "name": "Test Test",
39           "type": "SITE",
40           "phoneNumber": "3031231234",
41           "email": "flname@email.com"
42         },
43         {
44           "name": "Charlie Lateshift",
45           "type": "TECHNICAL",
46           "phoneNumber": "1231231234",
47           "email": "flname@email.com"
48         }
49       ],
50       "ticketType": "ECT",
51       "ticketSubType": "ticket",
52       "assignedAction": "",
53       "dateCreated": 1763071875,
54       "dateCreatedYMD": "2025-11-13T22:11:15.000Z",
55       "dateUpdated": 1763071875,
56       "dateUpdatedYMD": "2025-11-13T22:11:15.000Z",
57       "dateResolved": 0,
58       "dateResolvedYMD": "",
59       "dateClosed": 0,
60       "dateClosedYMD": "",
61       "resolutionCode": "",
62       "resolutionMessage": ""
63     },
64     {
65       "id": "RSGADGIIHBRP9ATFQOXVTENCNAIVNL",
66       "spectrumTicketNumber": "ECT-85259809",
67       "customerTicketNumber": "Client API Test",

```

## Error Responses

This error may be caused by an invalid url.

Check the path for typos (a common issue is "/ticketingb2b/" should be "/ticketing-b2b/").

### 403 Forbidden

```
{
  "resultCodeName": "RESOURCE_AUTHORIZATION_ERROR",
  "resultCode": "2995",
  "resultMessage": "Resource Authorization Error",
  "error": "access_denied",
  "error_description": "RESOURCE_AUTHORIZATION_ERROR"
}
```

Expired Token (Tokens last 1 hour)

### 401 Unauthorized

```
{
  "resultCodeName": "INVALID_TOKEN",
  "resultCode": "2076"
  "resultMessage": "Access token expired"
}
```

Invalid Token (e.g. a typo in the token, due to cut and paste error)

### 401 Unauthorized

```
{
  "error_description": "INVALID_TOKEN_HEADER",
  "resultCodeName": "INVALID_TOKEN_HEADER",
  "error": "invalid_token",
  "resultCode": "2076",
  "resultMessage": "Invalid JWT Header"
}
```

Invalid Parameter value specified

### 400 Bad Request

```
{
  "message": "Method parameter 'paginate': Failed to convert value of type 'java.lang.String' to required type 'java.lang.Boolean'; Invalid boolean value [fals]"
}
```

## GET /tickets/{ticket\_id}

Retrieve a single ticket by ticket id (the ticket must be for your organization).

GET
/tickets/{ticket\_id} Get Single Ticket
▾

### Query Parameters

Name	Type	Description	Examples
ticket_id	string, required	The ticket.id OR the spectrumTicketNumber of the ticket to be retrieved	632012b-d3w2-4354-23d3-45343432341b3d1 OR ECT-12345678

### Response

Field Name	Data Type	Example	Description
Ticket Object	(see definition below)		
customerActionMinuteDetails	array/objects		
action	string	Customer-Awaiting Additional Information	The type of action required
startTime	number	1601391028	The date/time of when the phase started, in EPOCH (UTC), in seconds
endTime	number	1601410615	The date/time of when the phase ended, in EPOCH (UTC), in seconds
notes	array/objects		
dateCreated	number	1601391028	The date/time of when ticket was created, in EPOCH (UTC), in seconds
noteType	string	General	The type of note (eg. General, Escalation, Handoff ETS, etc)
note	string	We are reaching out to confirm if your issue has been resolved	The contents of the note

## Ticket Object

Field Name	Data Type	Example	Description
id	string	632012b-d3w2-4354-23d3-B45343432341b3d1	Unique id of the ticket (Guid) within Charter ticketing system
spectrumTicketNumber	string	ECT-12345678	User friendly ticket id/name within Charter ticketing system
customerTicketNumber	string	TEST9999	Id of the corresponding ticket in your system, if there is one.
billingAccountNumber	string	8260259230587430	Charter Service location billing account number
status	string	In Progress	Ticket status, eg In Progress or Closed
statusDetail	string	Work In Progress	More granular ticket status; New, Assigned, Work In Progress, Resolved, Closed
ticketReportSource	string	Inbound Call	How issue was reported to Charter (Email, Inbound Call, SE.Net, B2B-API)
needsClientAttention	boolean	true	Indicates if ticket is waiting on a response from the customer
businessImpact	string	Outage	Outage, Impairment, Failover or Information Failover indicates we switched over to backup systems temporarily – but with no significant impact on network performance
impactedServices	array/strings	["Data-FIA"]	Type of service impacted (derived from the Circuit id)
impactedCircuits	array/strings	["90.L2YY.000232..TWCC"]	List of circuit ids impacted by the issue
siteGuid	string	EDFR1DIERO2ERKI877SDW	Unique id of the site. This is the id to use if submitting issues for the site without a circuit id
siteAddress	Object		
id	string		This is NOT the same as the siteGuid and will be removed in upcoming release
addressLine1	string	123 Main Street	Street address of the Site
city	string	DALLAS	Site city
state	string	TX	Site state
zip5	string	12345	Site zipcode
latitude	string	32.876065	Site latitude coordinates
longitude	string	-96.669000	Site Longitude coordinates
siteContacts	array/strings	"John Doe", Fred Smith"	List of the contact's names
contacts	array/objects		
name	string	John Doe	Name of contact person
type	string	Local Contact	Type of contact eg "Site", "Technical", etc
phoneNumber	string	123-123-1234	Contact phone number
email	string	john.doe@emailprovider.com	Contact email
ticketType	string	ECT	Always 'ECT' this field has been added for a possible future expansion to include other types of ticket

Field Name	Data Type	Example	Description
ticketSubType	string	No Connectivity	Examples: No Connectivity Degraded Services, Other
assignedAction	string	Maintenance - Waiting for Approvals	Identifies the action needed to resolve the ticket, when it is in the 'Assigned' or 'In Progress' state
dateCreated	integer	1632500084	Ticket creation date/time, in EPOCH (UTC), in seconds
dateCreatedYMD	integer	2023-09-15T05:55:29.000Z	Ticket creation date/time, in readable format (Zulu Time)
dateUpdated	integer	1632500084	Ticket updated date/time, in EPOCH (UTC), in seconds
dateUpdatedYMD	integer	2023-09-15T05:55:29.000Z	Ticket updated date/time, in readable format (Zulu Time)
dateResolved	integer	1632500084	Ticket resolved date/time, in EPOCH (UTC), in seconds
dateResolvedYMD	integer	2023-09-15T05:55:29.000Z	Ticket resolved date/time, in readable format (Zulu Time)
dateClosed	integer	1632500084	Ticket closed date/time, in EPOCH (UTC), in seconds
dateClosedYMD	integer	2023-09-15T05:55:29.000Z	Ticket closed date/time, in readable format (Zulu Time)
resolutionCode	string	Spectrum-Verified-Service-Maintenance Notification	Code identifying resolution type
resolutionMessage	string	Spectrum-VerifiedMaintenance Notification at Service	Description of resolution type

#### Notes

- All Date Times are in UTC, (Universal Time), aka Zulu Time, aka Greenwich Mean Time, (GMT).
- Epoch dates are an integer, the number of seconds since midnight January 1, 1970 (example, 1601391028, converts to Tuesday, 29 September 2020 14:50:28).
- Readable dates in response are YYYY-MM-DDTHH:MM:SS.000 (000 indicates zero offset from Zulu time zone).

## Example Response

```

{
  "id": "RSGADGJJIOCU6AS0P48VSJ0R1XHZCX",
  "spectrumTicketNumber": "ECT-82979269",
  "customerTicketNumber": "",
  "billingAccountNumber": "",
  "status": "Closed",
  "ticketReportSource": "B2B-API",
  "needsClientAttention": false,
  "businessImpact": "Outage",
  "impactedServices": [
    "Data-Broadband Internet"
  ],
  "impactedCircuits": [
    "81.L1XX.011988..CHTR"
  ],
  "siteGuid": "CSGADGH1JT34HARQG9QLRPGM361HU8",
  "siteAddress": {
    "id": "7706F9DF9264182A6E728CA27C26F616",
    "addressLine1": "3918 S KINGS AVE",
    "city": "BRANDON",
    "state": "FL",
    "zip5": "33511",
    "latitude": "27.9056",
    "longitude": "-82.2881"
  },
  "siteContacts": [
    "JOHN DOE"
  ],
  "contacts": [
    {
      "name": "JOHN DOE",
      "type": "SITE",
      "phoneNumber": "1231231234",
      "email": "SEVSICH@ING-EMAIL.COM"
    }
  ],
  "ticketType": "ECT",
  "ticketSubType": "ticket",
  "assignedAction": "",
  "dateCreated": 1711034311,
  "dateCreatedYMD": "2024-03-21T15:18:31.000Z",
  "dateUpdated": 1711512000,
  "dateUpdatedYMD": "2024-03-27T04:00:00.000Z",
  "dateResolved": 1711512000,
  "dateResolvedYMD": "2024-03-27T04:00:00.000Z",
  "dateClosed": 1711512000,
  "dateClosedYMD": "2024-03-27T04:00:00.000Z",
  "resolutionCode": "Automation-Closed-Ticketing System-Ticket",
  "resolutionMessage": "Automation Closed Ticket at Ticketing System",
  "customerActionMinuteDetails": [],
  "notes": [
    {
      "dateCreated": 1711034311,
      "dateCreatedYMD": "2024-03-21T15:18:31.000Z",
      "noteType": "Customer-Note",
      "note": "Customer Provided CID: 81.L1XX.011988..CHTR<br><br><strong>Issue Description: </strong>TEST TICKET - Client API Test</br><strong>Impacted Services: </strong>Data-Fiber Internet</br><strong>Business Impact: </strong>Outage</br><strong>Does building have power? </strong>Yes</br><strong>Does equipment have power? </strong>Yes</br><strong>Trouble Shooting Steps: </strong>Turned off and on again. Test ticket.</br><strong>Access Hours:</strong> 09:00 to 17:00</br><strong>Additional Information: </strong>This is a test ticket for ING - Spectrum integration API call"
    }
  ],
}

```

```

    {
      "dateCreated": 1711132534,
      "dateCreatedYMD": "2024-03-22T18:35:34.000Z",
      "noteType": "Customer-Note",
      "note": "Add comments 1- test"
    }
  ]
}

```

### Example Calls:

Using the ticket.id

```

curl --location --request GET 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/tickets/ABCDEF03ABCABCAR123LUROQWE41GDD' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'Authorization: Bearer <Token>'

```

Using the spectrumTicketNumber

```

curl --location --request GET 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/tickets/ECT-12345678' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'Authorization: Bearer <Token>'

```

### Error Responses

#### If 403 Forbidden

Details may be in the response body. See page 13 for examples.

#### If Resource Authorization Error

This could be an invalid URL.

Check the path for typos (a common issue is `"/ticketingb2b/"` should be `"/ticketing-b2b/"`).

#### No body content

This usually indicates that a ticket exists with the specified id, but it is not associated with your account.

This could be caused by a typo in your ticket id or a data error in our system. If you believe it is one of your tickets, please send an email to [DL-Ent-Spectrum-API-Support@charter.com](mailto:DL-Ent-Spectrum-API-Support@charter.com) with the details.

#### If 204 No Content

If you have verified your ticket id is one you received from Spectrum Business, please call our MLTS Technical Support team to resolve the issue (this is likely not an API issue, but a miscommunication with our network support team).

#### If 401 Unauthorized

This could be an expired or invalid Token (e.g. a typo in the token, due to cut and paste error) or an invalid Parameter value. Details may be in the response body. See page 13 for examples.

## Creating Tickets

### Guidelines

We ask that you make every effort to include all relevant data when submitting a ticket. For example, we require at least one contact, but if your source ticket has recorded three contacts, we ask that you include all three on the request. Also if you record any special instructions for the site, for example site access rules, include them either in the description or additional info fields. This will greatly improve the usefulness and efficiency of the API and reduce the need for follow up phone calls and emails from our support teams.

### Site and Circuit Rules

- Either a site id (siteGuid) or a circuit id MUST be provided. These identify the service location for us.
- Up to five circuit ids can be submitted on a single trouble ticket, but they should be circuits at the same service location.
- If there are issues for circuits at different locations, then submit one request per circuit/location.
- In the absence of a circuit id, the site id is used to identify the service location.
- The GET /tickets/sites endpoint returns a list of the site addresses, (service locations), associated with your account, along with the site id (siteGuid) for each.
- The GET /tickets/circuits endpoint returns a list of the circuits associated with your account along with their terminating address.
- The circuit ids and/or the site id are validated. If they are not linked to your organization you will receive an error. If you believe they should be valid, contact support to report the data inaccuracy.

### Alarm Tickets

If you are submitting a ticket that is the result of an automated network alarm, indicate this by setting Alarm = true on the request.

Avoid automatically sending every alarm ticket to us. We expect to receive only those issues that truly require our attention. Failure to follow this rule may result in a restriction, or denial of access to the API.

If you intend to automate the feed of your tickets to us, think carefully about how you will limit them to only the ones that are Spectrum issues.

### Power Questions

There are two fields related to power:

- buildingPower – this is verification that the building in which the Charter equipment is installed has power.
- equipmentPower – this is verification that the Charter Equipment, specifically, has power. So if there is, for example, a rack of various components from various vendors, this indicates that the Charter components have power.

The fields are optional. Omitting them is interpreted as power could not be verified.

**Note:** Please make every attempt to verify the Spectrum Equipment has power before submitting a ticket.

## GET /sites

GET

/sites Get sites for a cxid or company name



This is a Site lookup to assist you in providing our site id (SiteGuid) when submitting ticket requests. It retrieves all currently active ticketing sites (locations) for your organization.

## Query Parameters

Name	Type	Description	Examples
siteName	String, optional	Only retrieve sites where the site name matches the value (wildcards are implicit)	205 <eg Store 205>
streetNumber	String, optional	Only retrieve sites where the street number matches the value	1100
streetName	String, optional	Only retrieve sites where the street name matches the value	Main
city	String, optional	Only retrieve sites where the city matches the value	CHICAGO
state	String, optional	Only retrieve sites where the state matches the value	TX
zipCode	String, optional	Only retrieve sites where the zip code matches the value	80134

## Response

Field Name	Data Type	Example	Description
sitesCount	Integer	25	Number of sites returned in the response
sites	array/objects		
cxId	String	f13df5ae-e258-468c-9785-a22deaew2fb23	Unique identifier for your organization in Spectrum Business for enterprise datasets
addressLine1	String	123 MAIN ST	Street Address
addressLine2	String	STORE 123	Unit or Suite Address
city	String	DALLAS	City
State	String	TX	State
zipCode	String	12345	Zip
siteGuid	String	er67sq5ae-g343-565h-7688-s22gbdsw2gb56	Unique id for the Site (service location). <b>*This is the location id needed when creating new tickets.*</b>

```
1  {
2    "sitesCount": 2,
3    "sites": [
4      {
5        "cxId": "2A8C9B32-D557-4170-ABC1-CDA9CE30D621",
6        "addressLine1": "3918 S KINGS AVE",
7        "addressLine2": "",
8        "city": "BRANDON",
9        "state": "FL",
10       "zipCode": "33511",
11       "siteGuid": "CSGADGH1JT34HARQG9QLRPGM361HU8"
12     },
13     {
14       "cxId": "2A8C9B32-D557-4170-ABC1-CDA9CE30D621",
15       "addressLine1": "6399 S FIDDLERS GREEN CIR",
16       "addressLine2": "",
17       "city": "ENGLEWOOD",
18       "state": "CO",
19       "zipCode": "80111",
20       "siteGuid": "CSGADGH1JT34HARQG9S9RPGM541HYP"
21     }
22   ]
23 }
```

## Example Calls

Get all sites

```
curl --location --request GET 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/sites' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'Authorization: Bearer <Token>'
```

Get sites where site name contains the string '55'

```
curl --location 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/sites?siteName=55' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'X_TXN_ID: e8a763c9-4c5b-48c0-97c2-c18d70084de2' \
--header 'Authorization: Bearer <Token>'
```

Get sites where street number contains the string '305'

```
curl --location 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/sites?streetNumber=305' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'X_TXN_ID: e8a763c9-4c5b-48c0-97c2-c18d70084de2' \
--header 'Authorization: Bearer <Token>'
```

Get sites where city contains the string 'Lebanon'

```
curl --location 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/sites?city=Lebanon' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'X_TXN_ID: e8a763c9-4c5b-48c0-97c2-c18d70084de2' \
--header 'Authorization: Bearer <Token>'
```

Get sites where city contains 'Lebanon' and street name contains 'Hartman'

```
curl --location 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/sites?city=Lebanon&streetName=HARTMAN' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'X_TXN_ID: e8a763c9-4c5b-48c0-97c2-c18d70084de2' \
--header 'Authorization: Bearer <Token>'
```

## Error Responses

### If 403 Forbidden

Details may be in the response body. See page 14 for examples.

### If Resource Authorization Error

This could be an invalid URL. Check the path for typos (a common issue is `"/ticketingb2b/"` should be `"/ticketing-b2b/"`).

### If 204 No Content

Either no sites match your query parameters, e.g. a mis-spelled city or street name or there is a data issue in our system. If no sites are returned when there are no query parameters on the API call, then please send an email to [DL-Ent-Spectrum-API-Support@charter.com](mailto:DL-Ent-Spectrum-API-Support@charter.com) with the details.

### If 401 Unauthorized

This could be an expired or invalid Token (e.g. a typo in the token, due to cut and paste error). Details may be in the response body. See page 14 for examples.

## GET /circuits

GET

/circuits Get circuits for a cxid



This is a circuit lookup to assist you in providing the circuit id when submitting ticket requests. It retrieves a list of all active circuits and circuit ids for your organization.

There are no query parameters. This endpoint will only return circuits for your organization based on the authorization credentials.

### Response

Field Name	Data Type	Example	Description
circuitsCount	Integer	3	Number of circuit objects returned.
circuits	Array/objects		
circuitId	String	99.A9AA.A123456.AA.AAAA	Unique id of a circuit. <b>*This is the circuit id needed when creating new tickets.*</b>
cxId	String	f13df5ae-3333-468c-9785-a22deaew2fb23	Unique identifier for your organization in Spectrum Business for enterprise datasets
location	Object		
streetAddress1	String	123 MAIN ST	Street Address
streetAddress2	String	STORE 123	Unit or Suite Address
city	String	DALLAS	City
State	String	TX	State
zip	String	12345	Zip

## Example Response

```

1  {
2    "circuitsCount": 5,
3    "circuits": [
4      {
5        "circuitId": "51.L1XX.010501..TWCC",
6        "cxId": "2A8C9B32-D557-4170-ABC1-CDA9CE30D621",
7        "location": {
8          "streetAddress1": "11921 N MOPAC EXPY",
9          "streetAddress2": "",
10         "city": "AUSTIN",
11         "state": "TX",
12         "zip": "78759"
13       }
14     },
15     {
16       "circuitId": "81.L1XX.011988..CHTR",
17       "cxId": "2A8C9B32-D557-4170-ABC1-CDA9CE30D621",
18       "location": {
19         "streetAddress1": "3918 S KINGS AVE",
20         "streetAddress2": "",
21         "city": "BRANDON",
22         "state": "FL",
23         "zip": "33511"
24       }
25     },
26     {
27       "circuitId": "94.L1XX.001462..CHTR",
28       "cxId": "2A8C9B32-D557-4170-ABC1-CDA9CE30D621",
29       "location": {
30         "streetAddress1": "6399 S FIDDLERS GREEN CIR",
31         "streetAddress2": "",
32         "city": "ENGLEWOOD",
33         "state": "CO",
34         "zip": "80111"
35       }
36     },
37     {
38       "circuitId": "94.L1XX.001463..CHTR",
39       "cxId": "2A8C9B32-D557-4170-ABC1-CDA9CE30D621",
40       "location": {

```

## Example Call

```

curl --location --request GET 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/circuits' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'Authorization: Bearer <Token>'

```

## Error Responses

### If 403 Forbidden

Details may be in the response body. See page 13 for examples. If Resource Authorization Error - It could be an invalid URL. Check the path for typos (a common issue is "/ticketingb2b/" should be "/ticketing-b2b/").

### If 204 No Content

This is a data issue in our system. Please send an email to [DL-Ent-Spectrum-API-Support@charter.com](mailto:DL-Ent-Spectrum-API-Support@charter.com) with the details.

### If 401 Unauthorized

This could be an expired or invalid Token (e.g. a typo in the token, due to cut and paste error). Details may be in the response body. See page 13 for examples.

## GET /circuits/{circuit\_id}

GET

**/circuits/{circuit\_id}**

Get a single circuit



This is a single circuit lookup to allow you to validate a circuit id.

There are no query parameters. This endpoint will only return the circuit if it is linked to your organization, based on the authorization credentials.

If no circuit is returned, check the circuit id value and formatting. If you are sure it is a valid circuit id in the correct format, then contact: [DL-Ent-Spectrum-API-Support@charter.com](mailto:DL-Ent-Spectrum-API-Support@charter.com).

### Response

Field Name	Data Type	Example	Description
circuitId	String	94.L1XX.001464..CHTR	Unique id of a circuit. <b>*This is the circuit id needed when creating new tickets.*</b>
cxId	String	2ABC9B32-e258-468c-9785-a22deaew2fb23	Unique identifier for your organization in Spectrum Business for enterprise datasets
location	Object		
streetAddress1	String	123 MAIN ST	Street Address
streetAddress2	String	STORE 123	Unit or Suite Address
city	String	DALLAS	City
state	String	TX	State
zip	String	12345	Zip

```

1  {
2      "circuitId": "94.L1XX.001464..CHTR",
3      "cxId": "2ABC9B32-D557-4170-ABC1-CDA9CE30D621",
4      "location": {
5          "streetAddress1": "6399 S FIDDLERS GREEN CIR",
6          "streetAddress2": "",
7          "city": "ENGLEWOOD",
8          "state": "CO",
9          "zip": "80111"
10     }
11 }

```

## Error Responses

### If 403 Forbidden

Details may be in the response body. See page 13 for examples.

### If Resource Authorization Error

This could be an invalid URL. Check the path for typos (a common issue is "/ticketingb2b/" should be "/ticketing-b2b/").

### If circuit exists but it is not associated with your account.

This could be caused by a data mismatch in our system. If you believe it is one of your circuits, please send an email to [DL-Ent-Spectrum-API-Support@charter.com](mailto:DL-Ent-Spectrum-API-Support@charter.com) with the details.

### If 204 No Content

This could be an invalid circuit id (no circuit exists with the specified id). Check for a typo.

### If 401 Unauthorized

This could be an expired or invalid Token (e.g. a typo in the token, due to cut and paste error) or an invalid Parameter value. Details may be in the response body. See page 13 for examples.

## POST /tickets

**POST**
**/tickets** Create a New Ticket.


### Request

A single ticket object is required to be in the request body.

Field Name	Data Type	Rules	Example	Description
siteGuid	string	required if no circuitId	e34f564qw-e456-123c-9785-n322ade1d1	This is the id of the 'Site' where ticket issue is located. To get a list of valid site ids for your organization, use the GET /sites endpoint.
circuits	array	required if no siteGuid		Circuit affected by the degraded service or outage. If multiple circuits are included, (up to 5), they MUST be for services at the same site.
circuitId	string	must be valid if no siteGuid	"51.L4XX.000589..TWCC"	
submitterId	string	required	Joe.Smith@email.com	User id of ticket creator or default value for alarm eg alarm@xyz.com
alarm	boolean	optional	true, false Or omit the field (same as false)  NOTE: including the field with no value is NOT valid (if null then remove the field from the request or insert the word 'null' i.e "alarm": null, )	Was the ticket generated by an automatic network alarm?
issueDescription	string	required	free format string	Describe the issue
issueStartDate	string	Optional	Free format string	Date that issue was first noticed. This is provided to our support for informational purposes. It does not impact SLAs
issueStartTime	string	Optional	Free format string	Time of day the issue was first noticed. This is provided to our support for informational purposes. It does not impact SLAs
customerTicketId	string	required	free format string	Id of the corresponding ticket in your system, if there is one
businessImpact	enum	required	Outage, Impairment, Information	Level of impact - Outage, degraded service or information needed.
buildingPower	boolean	optional	'true' – power supply has been verified. 'false' – power is out 'null' or field is omitted –	Does the building housing Charter equipment have power?

			power could not be verified  NOTE: including the field with no value is NOT valid (if null then remove the field from the request or insert the word 'null' i.e "buildingPower": null, )	
equipmentPower	boolean	optional	'true' – power supply has been verified. 'false' – power is out 'null' or field is omitted – power could not be verified  NOTE: including the field with no value is NOT valid (if null then remove the field from the request or insert the word 'null' i.e "equipmentPower": null, )	Is the CHARTER EQUIPMENT receiving power and turned on?
troubleShootingStepsTaken	string	optional	free format string	What steps have been taken already
contacts	array	Required, must have one where type="Site"		Who to contact regarding the issue.
type	enum	required	Technical, Site	Type of contact person; Site or Technical (a Site contact is required)
firstName	string	required	free format string	
lastName	string	required	free format string	
phoneNumber	string	required	free format string	
Email	string	required	free format string	
availableStartTime	string	optional	free format string	From what time of day is this contact available
availableEndTime	string	optional	free format string	To what time of day is this contact available
unavailableDays	string	optional	free format string	Days when this contact will not be available
siteAccessStartTime	time (24hr)	optional, format HH:MM	09:00	From what time (of day) can site be accessed
siteAccessEndTime	time (24hr)	optional, format HH:MM	17:00	At what time (of day) does site access end
additionalInfo	string	optional	free format string	Any other notes

## Example Request Body

```

{
  "siteGuid": "e34f564qw-e456-123c-9785-n322ade1d1",
  "circuits": [
    "71.L1MK.177355.MOCK",
    "51.L4XX.000589..TWCC",
    "51.L1MK.019427..TWCC"
    "71.MKWI.177355.MOCK"
  ],
  "submitterId": "Joe.Smith@xyz.com",
  "alarm": false,
  "issueDescription": "Describe your problems here",
  "customerTicketId": "ABC1234",
  "businessImpact": "Outage"
  "buildingPower": "Yes",
  "equipmentPower": "No",
  "troubleShootingStepsTaken": "Turned it off and on again",
  "contacts": [
    {
      "type": "Site",
      "firstName": "Johnny",
      "lastName": "Jacobsen",
      "phoneNumber": "303-123-1111",
      "email": "jj@anybiz.com"
    },
    {
      "type": "Technical",
      "firstName": "Freddy",
      "lastName": "Fourfingers",
      "phoneNumber": "303-223-1111",
      "email": "ff@anybiz.com"
    },
    {
      "type": "Site",
      "firstName": "Steve",
      "lastName": "Smith",
      "phoneNumber": "303-123-1111",
      "email": "ss@anybiz.com"
    }
  ],
  "siteAccessStartTime": 09:00,
  "siteAccessEndTime": 17:00,
  "additionalInfo": "Please use access code 1234 for front gate"
}

```

## Response

A successful response returns the ticket id and the ticket number of the newly created ticket.

```

200 Success
{
  "ticketId": "RSGJR030ERPZ4ARQI5JVRPI9LJ5SIE",
  "spectrumTicketNumber": "ECT-12345678"
}

```

The ticketId is needed when using the GET /ticket/<ticketId> endpoint (this will soon be enhanced to accept either the id or number). The ticket number is given out by our support team as a reference for the enquiry or issue.

## Example

```

curl --location --request POST 'https://apis.spectrum.net/entservices/ticketing-b2b/v1/tickets' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'Authorization: Bearer <token>' \
--data-raw '{
  "siteGuid": "GHTER5V0GS4TQAPWXW7V8C000TEST",
  "circuits": ["22.L1ZZ.803238..TEST","51.LEXT.803376..TEST"],
  "submitterId": "John.Smith@emailprovider.com",
  "alarm": false,
  "issueDescription": "TEST TICKET - Client API Test",
  "customerTicketId": "VZW123",
  "businessImpact": "Outage",
  "buildingPower": true,
  "equipmentPower": true,
  "troubleShootingStepsTaken": "Turned off and on again",
  "contacts": [
    {
      "type": "Site",
      "firstName": "John",
      "lastName": "Doe",
      "phoneNumber": "123-123-1234",
      "email": "john.doe@emailprovider.com"
    }
  ],
  "siteAccessStartTime": "09:00",
  "siteAccessEndTime": "17:00",
  "additionalInfo": "This is only a test not a real ticket"
}'

```

## Error Responses

### If 422 Unprocessable Entity

This means the circuit was down for scheduled maintenance, when the trouble ticket request was submitted. If there is an issue, please report it via another channel, e.g. phone or email. The CRQ number references the change request the maintenance work is registered under.

```
{
  "message": "Maintenance in progress - Please call if further assistance is required. -
  CRQ000012345678/TSK000012345678"
}
```

### If 403 Forbidden

Details may be in the response body. See page 13 for examples.

### If Resource Authorization Error

This could be an invalid URL. Check the path for typos. (A common issue is `"/ticketingb2b/"` should be `"/ticketing-b2b/"`, (with a dash).

### If 401 Unauthorized

This could be an expired or invalid Token (e.g. a typo in the token, due to cut and paste error). Details may be in the response body. See page 13 for examples.

### If 400 Bad Request

May be an issue with the ticket object in the request body.

Examples:

Invalid circuit id – check the circuit id is formatted correctly. In the case of multiple circuits check that the JSON has been formatted correctly (in this example the circuit ids are valid but the quotes were in the wrong place in the ticket collection, on the request).

```
{
  "message": "One or more invalid circuits : 94.L1XX.001462..CHTR,94.L1XX.001463..CHTR"
}
```

Invalid values: businessImpact has an invalid value or null

```
{
  "message": "Field: 'businessImpact' must not be null"
}
```

Missing Required Fields: circuitId or siteGuid (one must be specified)

```
{
  "message": "Both siteGuid and circuits are null"
}
```

Missing Required Fields: submitter id

```
{
  "message": "Ticket must include following fields with valid values: externalSubmitterId"
}
```

## POST /tickets/{ticket\_id}/attachments

**POST****/tickets/{ticket\_id}/attachments** Add multiple file attachments to a ticket by ticketId.

### Request

This endpoint accepts one path parameter and two formData parameters. All are required.

Parameter	Data Type	Description
ticket_id	String, required	Either the spectrumTicketNumber eg ECT-12345678 OR the ticket.id eg. 632012b-d3w2-4354-23d3-45343432341b3d1
file	formData:file of type; jpg, png, gif, xlsx, xls, csv, xml, pdf, docx, doc, txt, msg or zip	A single file of not more than 1 Mb
submitterId	formData:string	User id of the request submitter

### Response

A successful response returns the ticket id to which the file was attached.

```
200 Success
{ "ticketId": "123e4567-e89b-12d3-a456-426655440000" }
```

### Example

#### Using the ticket number

```
curl --location 'https://apis.spectrum.net/entservices/ticketing-b2b/v1/tickets/ECT-12345678/attachments' \
--header 'Accept: application/json' \
--header 'Authorization: Bearer <token>' \
--form 'file=@"/path/to/filename.txt"' \
--form 'submitterId="fname.lname@any-email.com"'
```

#### Using the ticket id

```
curl --location 'https://apis.spectrum.net/entservices/ticketing-b2b/v1/tickets/AAAAAG2LITIC5ASC17U0SB1I8LWQAE/attachments' \
--header 'Accept: application/json' \
--header 'Authorization: Bearer <token>' \
--form 'file=@"/path/to/filename.txt"' \
--form 'submitterId="Fname.Lname@any-email.com"'
```

**Error Responses****If 403 Forbidden**

Details may be in the response body, see page 13 for examples.

**If Resource Authorization Error**

This could be an invalid URL. Check the path for typos (a common issue is `"/ticketingb2b/"` should be `"/ticketing-b2b/"`).

**If the ticket exists but it is not associated with your account.**

This could be caused by a data mismatch in our system. If you believe it is one of your circuits, please send an email to [DL-Ent-Spectrum-API-Support@charter.com](mailto:DL-Ent-Spectrum-API-Support@charter.com) with the details.

**If 204 No Content**

This could be an invalid circuit id (no circuit exists with the specified id). Check for a typo.

**If 401 Unauthorized**

This could be an expired or invalid Token (e.g. a typo in the token, due to cut and paste error) or an invalid Parameter value. Details may be in the response body. See page 13 for examples.

**If 400 Bad Request**

If the ticket has been closed or resolved it will no longer be editable. Notes and attachments cannot be added. If you need to update the issue please contact our Network Support by another channel, (e.g. via phone or email).

```
{
  "message": "Ticket is not in editable state"
}
```

If the note in the request body is invalid, e.g. the action contains an invalid value or is null.

```
{
  "message": "Field: 'action' must not be null"
}
```

If the ticket was not found at all: check the ticketId is correct. NOTE: unlike the GET /tickets endpoints, (which accept either one), this endpoint requires the ticket Id NOT the ticket number.

```
{
  "message": "Ticket not found"
}
```

## POST /tickets/{ticket\_id}/notes

**POST****/tickets/{ticket\_id}/notes** Add notes to an existing ticket

### Request

This endpoint accepts one path parameter and data in the body.

Field Name	Data Type	Description
ticket_id	Path parameter string, required	Either the spectrumTicketNumber eg ECT-12345678 OR the ticket.id eg. 632012b-d3w2-4354-23d3-45343432341b3d1
note	string, max length: 10,000 char	The contents of the note to be added
submitterId	String, max length 254	The email address associated to the user creating the ticket
action	Enum Customer-Note Customer-Closure	The type of action associated with the adding of this note

### Response

A successful response returns the ticket id to which the note was added.

**200 Success**

```
{ "ticketId": "123e4567-e89b-12d3-a456-426655440000" }
```

### Example

#### Using the ticket number

```
curl --location --request POST 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/tickets/ECT-12345678/notes' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'Authorization: Bearer <Token>' \
--data-raw '
{
  "note": "We turned it off and on again - seems to be working now.",
  "submitterId": "johnSmith@emailprovide.com",
  "action": "Customer-Note"
}
'
```

**Using the ticket Id**

```
curl --location --request POST 'https://apis.spectrum.net/entservices/ticketing-
b2b/v1/tickets/TESTR030AHPHVARP1BLURO1I94TEST/notes' \
--header 'Content-Type: application/json;charset=utf-8' \
--header 'Accept: application/json;charset=utf-8' \
--header 'Authorization: Bearer <Token>' \
--data-raw '
{
  "note": "We turned it off and on again - seems to be working now.",
  "submitterId": "johnSmith@emailprovide.com",
  "action": "Customer-Note"
}
'
```

We do not allow updates to be made directly to existing tickets via the API. But this endpoint can be used to add notes or respond to action items on an issue. Adding a note will bring the ticket back to the attention of support.

Close a Ticket: there is no way to directly close a ticket using the API, but you can use this endpoint to request a ticket be closed. Set Action = "Customer-Closure" and describe why you are requesting the ticket be closed, in the note field.

Escalate a Ticket: The API can be used to prompt support to look at a ticket, adding a note re-prioritizes it for them, as mentioned above, but to formally escalate a ticket to a higher level, follow our standard procedure found here: <https://enterprise.spectrum.com/support/faq/account/how-to-escalate-technical-issue.html>

**Error Responses****If 403 Forbidden**

Details may be in the response body, see page 13 for examples.

**If Resource Authorization Error**

This could be an invalid URL. Check the path for typos (a common issue is "/ticketingb2b/" should be "/ticketing-b2b/").

**If the ticket exists but it is not associated with your account**

This could be caused by a data mismatch in our system. If you believe it is one of your circuits, please send an email to [DL-Ent-Spectrum-API-Support@charter.com](mailto:DL-Ent-Spectrum-API-Support@charter.com) with the details.

**If 204 No Content**

This could be an invalid circuit id – no circuit exists with the specified id. Check for a typo.

**If 401 Unauthorized**

This could be an expired or invalid Token (e.g. a typo in the token, due to cut and paste error) or an invalid Parameter value. Details may be in the response body. See page 13 for examples.

**If 400 Bad Request**

If the ticket has been closed or resolved it will no longer be editable, notes and attachments cannot be added. If you need to update the issue, please contact our Network Support by another channel (e.g. via phone or email).

```
{
  "message": "Ticket is not in editable state"
}
```

If the note in the request body is invalid, e.g. the action contains an invalid value or is null.

```
{
  "message": "Field: 'action' must not be null"
}
```

If the ticket was not found at all: check the ticket Id is correct.

NOTE: unlike the GET /tickets endpoints, (which accept either one), this endpoint requires the ticket Id NOT the ticket number.

```
{  
  "message": "Ticket not found"  
}
```

## Appendix

### Error Handling

**401 Unauthorized** – issues with the token  
Check the token is valid and has not expired

Example Response:

```
{
  "resultMessage": "Access token expired",
  "resultCode": "2076",
  "resultCodeName": "INVALID_TOKEN"
}
```

**403 Forbidden** – problem authenticating the credentials, url is wrong, or ticket id does not match credentials.  
Check the correct credentials were used to obtain a token, check the url does not have typos, check the request parameters. This error could occur, for example, if an attempt is made to retrieve a ticket that does not match the authenticated client id.

If the problem persists, contact support, it may be a configuration issue on our side.

**400 Bad Request** – issues with the submitted data, or ticket may not be updateable.  
Check the request, ensure all required fields have data, no invalid values, etc.

Example Response:

```
{
  "message": "One or more invalid circuits : 99.A9AA.A123456.AA.AAAA"}
}
```

If an attempt is made to update a ticket that is not in an updateable state...

Example Response

```
{
  "message": "Ticket is not in editable state"
}
```

#### JSON Parse errors

These indicate an issue with the formatting of the JSON ticket object in the request body.  
i.e. a missing comma, quote mark or value.  
For example if an optional Boolean field is passes as "fieldname": , it will trigger this error.  
If the field is null/empty then the JSON format is "fieldname": null, or omit the field altogether.

Example Response:

```
"error": "Bad Request",
  "message": "JSON parse error: Unexpected character (',' (code 44)): expected a value; nested exception is
com.fasterxml.jackson.core.JsonParseException: Unexpected character (',' (code 44)): expected a value\n at [Source:
(org.springframework.util.StreamUtils$NonClosingInputStream); line: 7, column: 21]"
```

**404 Not Found** – resource not found  
Server was found but could not locate the requested page – check the url is accurate.

**500 Server Error** – the network resource was currently unavailable. Please try again later.  
If the problem persists, contact support.

**204 No Content** – This is not an error but indicates that the request returned no data.

## Ticket Status Values

Indicates what stage of processing the ticket is in.

Status	Status Detail	Description
In Progress	New	Ticket has been created
In Progress	Assigned	Ticket has been assigned to a support agent
In Progress	Work In Progress	The issue or request is actively being worked
In Progress	Resolved	Issue fixed but is waiting on confirmation (ticket can revert back to an In Progress status and Notes and Attachments can still be added)
Closed	Closed	Ticket is closed. Notes and Attachments can no longer be added. If the issue persists or has recurred, a new ticket will be opened.

## Ticket Source Values

How was the issue communicated to Charter, (e.g. SpectrumEnterprise.net portal, phone call, email, etc).

Value	Description
Inbound Call	The issue was called in to support via a telephone call.
Email	The issue was sent in an email to support.
Alarm	Ticket was generated by a Charter network alarm.
SE.NET	Ticket was submitted via the SpectrumEnterprise.net portal.
B2B-API	Ticket was submitted via POST /tickets customer API.
B2B-Alarm	Alarm ticket was submitted via the POST /tickets customer API.
EIT Upload	Ticket created as part of a batch by customer (via emailed list of circuits) or by Spectrum Network Operations Support. This indicates the ticket was/is part of a larger issue impacting multiple locations.
Planned Maintenance	Network was down due to planned maintenance.